







## Cut. Fasten. Paint. Done.

It really is that simple. That's because TruExterior® Siding & Trim offers phenomenal performance, remarkable workability and a lasting look while eliminating the need for gluing, gapping and other cumbersome and costly installation techniques.

#### **APPLICATION**

- Designed for use in non-structural applications
- Suitable for ground contact
- Can be used in moisture-prone areas

#### **EXPANSION & CONTRACTION**

 Traditional exterior-grade caulks, auto-body or wood fillers are all acceptable for filling nail holes

#### **TOOLS**

- Installed using proven woodworking tools and methods
- Carbide-tipped blades and bits are recommended for a longer tool life

#### **FASTENING**

- Accepts a wide variety of high-quality exterior-grade fasteners that are suitable for the local environment
- Can be fastened close to the edge
- No need for pre-drilling
- No mushrooming

#### **PAINTING**

- TruExterior® products come pre-primed and do require paint
- No need to prime end cuts
- Can be painted with any high-grade exterior paint when following the paint manufacturer's instructions
- Can be painted any color without special precautions as it is not prone to movement caused by heat gain from dark colors\*
- Paint lasts longer than on wood because TruExterior® products cycle virtually no moisture\*

<sup>\*</sup>Please see TruExterior® Siding & Trim Limited Warranties and Product Data Sheets for proprietary test results, located at TruExterior.com. Always follow local building codes and construction best practices. See the complete Installation Guidelines for TruExterior® Siding & Trim at TruExterior.com.



# Pioneering an entirely new category of building materials made with the revolutionary poly-ash material.

TruExterior® Siding & Trim is the only product available today that *addresses issues commonly seen with other exterior materials on the market.* 

#### **MOISTURE**

TruExterior® products contain no wood fiber, preventing issues that commonly plague wood, wood composites and other fiber cement.

- No need to prime ends or field cuts
- Resists rot and termite attacks\*
- No swelling\*
- No cracking or splitting
- No cupping or checking\*
- Suitable for ground contact

#### **MOVEMENT**

TruExterior® products offer a high level of dimensional stability, eliminating many of the movement-related issues seen in other siding and trim products.

- Installation is the same regardless of the season
- No need for special paints
- No limitations on paint colors

#### **OUR PRODUCT OFFERING**

With a complete offering of 4/4, 5/4 and 2x trim, accessories, beadboard and siding, TruExterior® Siding & Trim has everything you need to create a polished and professional installation.

- Siding
- Beadboard
- Trim
- Accessories



<sup>\*</sup>Please see TruExterior® Siding & Trim Limited Warranties and Product Data Sheets for proprietary test results, located at TruExterior.com. Always follow local building codes and construction best practices. See the complete Installation Guidelines for TruExterior® Siding & Trim at TruExterior.com.




## Craftsman Collection™

The TruExterior® Siding Craftsman Collection™ offers a variety of authentic, full-thickness profiles with bold, defined shapes and the natural aesthetic of traditional wood siding, all without the maintenance and upkeep associated with exterior wood products.

Six historically and architecturally accurate profiles—Channel, Channel Bevel, Cove/Dutch Lap, Nickel Gap, Shiplap and V-Rustic—are the ideal solution for homeowners who desire the look, feel and character of authentic wood siding while avoiding rotting, cracking, splitting and termite attacks.











Pictured Top Left to Right: Channel Bevel, Nickel Gap Pictured Bottom Left to Right: Nickel Gap, Channel Bevel





| Nominal<br>Size | Actual<br>Thickness (A) | Actual<br>Width (B) | Reveal (C) | Channel (D) | Tongue (E) |
|-----------------|-------------------------|---------------------|------------|-------------|------------|
| 1 x 6           | 0.6875"                 | 5.50"               | 5.0"       | 0.625"      | 0.50"      |
| 1 x 8           | 0.6875"                 | 7.50"               | 7.0"       | 0.625"      | 0.50"      |
| 1 x 10          | 0.6875"                 | 9.50"               | 9.0"       | 0.625"      | 0.50"      |






| Nominal<br>Size | Actual<br>Thickness (A) | Actual<br>Width (B) | Reveal (C) | Channel (D) | Tongue (E) |
|-----------------|-------------------------|---------------------|------------|-------------|------------|
| 1 x 6           | 0.6875"                 | 5.50"               | 4.969"     | 1.469"      | 0.531"     |
| 1 x 8           | 0.6875"                 | 7.25"               | 6.719"     | 1.469"      | 0.531"     |
| 1 x 10          | 0.6875"                 | 9.25"               | 8.719"     | 1.469"      | 0.531"     |







| Nominal<br>Size | Actual<br>Thickness (A) | Actual<br>Width (B) | Reveal (C) | Channel (D) | Tongue (E) |
|-----------------|-------------------------|---------------------|------------|-------------|------------|
| 1 x 6           | 0.6875"                 | 5.50"               | 4.969"     | 0.969"      | 0.531"     |
| 1 x 8           | 0.6875"                 | 7.25"               | 6.719"     | 0.969"      | 0.531"     |
| 1 x 10          | 0.6875"                 | 9.25"               | 8.719"     | 0.969"      | 0.531"     |




| Nominal<br>Size | Actual<br>Thickness (A) | Actual<br>Width (B) | Reveal (C) | Channel (D) | Tongue (E) |
|-----------------|-------------------------|---------------------|------------|-------------|------------|
| 1 x 6           | 0.6875"                 | 5.50"               | 4.969"     | 1.469"      | 0.531"     |
| 1 x 8           | 0.6875"                 | 7.50"               | 6.969"     | 1.469"      | 0.531"     |
| 1 x 10          | 0.6875"                 | 9.50"               | 8.969"     | 1.469"      | 0.531"     |




| Nominal<br>Size | Actual<br>Thickness (A) | Actual<br>Width (B) | Reveal (C) | Tongue (D) |
|-----------------|-------------------------|---------------------|------------|------------|
| 1 x 6           | 0.6875"                 | 5.50"               | 4.969"     | 0.531"     |
| 1 x 8           | 0.6875"                 | 7.25"               | 6.719"     | 0.531"     |
| 1 x 10          | 0.6875"                 | 9.25"               | 8.719"     | 0.531"     |



| Nominal<br>Size | Actual<br>Thickness (A) | Actual<br>Width (B) | Reveal (C) | Gap (D) | Tongue (E) |
|-----------------|-------------------------|---------------------|------------|---------|------------|
| 1 x 4           | 0.6875"                 | 3.50"               | 3.159"     | 0.08"   | 0.341"     |
| 1 x 6           | 0.6875"                 | 5.50"               | 5.159"     | 0.08"   | 0.341"     |
| 1 x 8           | 0.6875"                 | 7.25"               | 6.909"     | 0.08"   | 0.341"     |
| 1 x 10          | 0.6875"                 | 9.25"               | 8.909"     | 0.08"   | 0.341"     |





#### **SHIPLAP**

The Shiplap profile is edge-matched for a tight joint appearance. It is intended to be installed with the finished surface exposed and is not reversible.

#### Available Finishes (not reversible):





#### **NICKEL GAP**

The tongue-and-groove profile is self-gapping, creating a consistent nickel-sized space between each board.

#### Available Finish:










| Nominal<br>Size | Actual<br>Thickness (A) | Actual<br>Width (B) | Reveal (C) | Tongue (D) |
|-----------------|-------------------------|---------------------|------------|------------|
| 5/8 x 4         | 0.625"                  | 3.50"               | 3.16"      | 0.34"      |
| 5/8 x 6         | 0.625"                  | 5.25"               | 4.91"      | 0.34"      |



#### SINGLE BEADBOARD

Two distinct beaded patterns -4" and 6"to suit the most popular design trends.

#### Available Finish:




**DOUBLE BEADBOARD** 

The same appearance as the singleprofile products, but with twice the coverage.

#### Available Finish:






Actual

Nominal

Actual



<sup>\*</sup>Please see TruExterior® Siding & Trim Limited Warranties and Product Data Sheets for proprietary test results, located at TruExterior.com.













| 1X Trim Sizes |                | 5/4 Trim Sizes |              | 2X Trim Sizes |                  |
|---------------|----------------|----------------|--------------|---------------|------------------|
| Nominal       | Actual         | Nominal        | Actual       | Nominal       | Actual           |
| _             | _              | _              | _            | 2 x 2         | 1-1/2" x 1-1/2"  |
| 1 x 3         | 3/4" x 2-1/2"  | 5/4 x 3        | 1" x 2-1/2"  | _             | _                |
| 1 x 4         | 3/4" x 3-1/2"  | 5/4 x 4        | 1" x 3-1/2"  | 2 x 4         | 1-1/2" x 3-1/2"  |
| 1 x 5         | 3/4" × 4-1/2"  | 5/4 x 5        | 1" x 4-1/2"  | _             | _                |
| 1 x 6         | 3/4" x 5-1/2"  | 5/4 x 6        | 1" x 5-1/2"  | 2 x 6         | 1-1/2 x 5-1/2"   |
| 1 x 8         | 3/4" × 7-1/4"  | 5/4 x 8        | 1" x 7-1/4"  | 2 x 8         | 1-1/2" x 7-1/4"  |
| 1 x 10        | 3/4" × 9-1/4"  | 5/4 x 10       | 1" x 9-1/4"  | 2 x 10        | 1-1/2" x 9-1/4"  |
| 1 x 12        | 3/4" x 11-1/4" | 5/4 x 12       | 1" x 11-1/4" | 2 x 12        | 1-1/2" x 11-1/4" |

TruExterior® Trim is reversible with woodgrain on one side and a smooth finish on the reverse. Available in 16' and 12' lengths.

Available Finishes: (reversible)





\*Please see TruExterior® Siding & Trim Limited Warranties and Product Data Sheets for proprietary test results, located at TruExterior.com.



TruExterior® Siding & Trim Accessories make it easy to create polished, professional-looking siding and trim installations. Decorative yet functional, the poly-ash accessories are designed to go where other materials can't, making them the perfect complement to cedar, fiber cement and other traditional siding products, as they are suitable for ground, roofline and masonry contact.



#### **SKIRT BOARD**

Provides a decorative yet functional way to create the required clearance between siding and grade.


#### Available Finishes: (not reversible)






smooth woodgrain

| Nominal<br>Size | Actual<br>Thickness (A) | Actual<br>Width (B) | Tongue (C) |
|-----------------|-------------------------|---------------------|------------|
| 1 x 6           | 0.75"                   | 5.50"               | 1.0"       |
| 1 x 8           | 0.75"                   | 7.25"               | 1.0"       |
| 5/4 x 6         | 1.0"                    | 5.50"               | 1.0"       |
| 5/4 x 8         | 1.0"                    | 7.25"               | 1.0"       |





#### **WINDOW POCKET RABBETED TRIM**

The rabbeted groove helps trim to sit flush over the window's nailing flange, eliminating the need for cuts or shims.


#### Available Finishes: (not reversible)






smooth woodgrain

| Nominal<br>Size | Actual<br>Thickness (A) | Actual<br>Width (B) | Window Pocket<br>(W' x W") |
|-----------------|-------------------------|---------------------|----------------------------|
| 5/4 x 4         | 1.0"                    | 3.50"               | 0.187" x 1.88"             |
| 5/4 x 6         | 1.0"                    | 5.50"               | 0.187" x 1.88"             |
| 5/4 x 8         | 1.0"                    | 7.25"               | 0.187" x 1.88"             |





| Nominal<br>Size | Actual<br>Thickness (A) | Actual<br>Width (B) | Siding Pocket<br>(S' x S") |
|-----------------|-------------------------|---------------------|----------------------------|
| 5/4 x 3         | 1.0"                    | 2.50"               | 0.75" x 0.75"              |
| 5/4 x 4         | 1.0"                    | 3.50"               | 0.75" x 0.75"              |
| 5/4 x 5         | 1.0"                    | 4.50"               | 0.75" x 0.75"              |
| 5/4 x 6         | 1.0"                    | 5.50"               | 0.75" x 0.75"              |
| 5/4 x 8         | 1.0"                    | 7.25"               | 0.75" x 0.75"              |



## SIDING POCKET RABBETED TRIM

Perfect for end wall terminations, this trim with a 3/4" siding pocket accepts all TruExterior® Siding profiles.


Available Finishes: (not reversible)





smooth woodgrain

| Nominal<br>Size | Actual<br>Thickness (A) | Actual<br>Width (B) | Window Pocket<br>(W' x W") | Siding Pocket<br>(S' x S") |
|-----------------|-------------------------|---------------------|----------------------------|----------------------------|
| 5/4 x 4         | 1.0"                    | 3.50"               | 0.187" x 1.88"             | 0.75" x 0.75"              |
| 5/4 x 6         | 1.0"                    | 5.50"               | 0.187" x 1.88"             | 0.75" x 0.75"              |
| 5/4 x 8         | 1.0"                    | 7.25"               | 0.187" x 1.88"             | 0.75" x 0.75"              |



#### WINDOW AND SIDING POCKET RABBETED TRIM


The ultimate accessory to build a neat, professional-looking window surround.

## Available Finishes: (not reversible)





smooth woodgrain



## TruExterior® Siding & Trim Reference Guide

#### **SUSTAINABILITY**

The sustainable properties of TruExterior® Siding & Trim are a result of a combination of proprietary polymer chemistry and highly refined, recovered coal combustion products (fly ash), which are endorsed by the U.S. Green Building Council (USGBC) for use in construction materials.

Contains a minimum of 70% recycled content—verified by SCS Global Services



#### **CODE LISTINGS**

TruExterior® Siding & Trim have undergone rigorous internal and third-party testing to provide building officials, architects, contractors, specifiers, designers and others with reliable, high-performing products.

- PEI Evaluation Service Report ESR-14090—Trim and Beadboard
- PEI Evaluation Service Report ESR-13069—Siding
- ICC-ES Evaluation Report ESR-3597 verifies that TruExterior® Siding meets code requirements
- California's Wildland-Urban Interface (WUI) listed
- Florida Product Approval FL17285
- Texas Department of Insurance (TDI) ED-92

#### **PROJECT ESTIMATOR**

| V-Rustic     |                   | Cove/Dutch Lap                 |    | Channel      |                   |  |
|--------------|-------------------|--------------------------------|----|--------------|-------------------|--|
|              |                   |                                |    |              |                   |  |
| Nominal Size | Boards per square | Nominal Size Boards per square |    | Nominal Size | Boards per square |  |
| 1 x 6        | 15                | 1 x 6                          | 15 | 1 x 6        | 15                |  |
| 1 x 8        | 11                | 1 x 8                          | 12 | 1 x 8        | 12                |  |
| 1 x 10       | 9                 | 1 x 10 9                       |    | 1 x 10       | 9                 |  |

| Channel Bevel |                   | Shiplap      |                   | Nickel Gap   |                   |  |
|---------------|-------------------|--------------|-------------------|--------------|-------------------|--|
|               |                   |              |                   | 5 / >        |                   |  |
| Nominal Size  | Boards per square | Nominal Size | Boards per square | Nominal Size | Boards per square |  |
| 1 x 6         | 15                | 1 x 6        | 15                | 1 x 4        | 24                |  |
| 1 x 8         | 11                | 1 x 8        | 12                | 1 x 6        | 15                |  |
| 1 x 10        | 9                 | 1 x 10       | 9                 | 1 x 8        | 11                |  |
|               |                   |              |                   | 1 x 10       | 10                |  |

### Craftsman Collection™ Siding

| V-Rustic |                 | Cove/Dutch Lap |                 | Channel |                 |  |
|----------|-----------------|----------------|-----------------|---------|-----------------|--|
|          |                 |                |                 |         |                 |  |
| Nominal  | Actual          | Nominal Actual |                 | Nominal | Actual          |  |
| 1 x 6    | 11/16" x 5-1/2" | 1 x 6          | 11/16" x 5-1/2" | 1 x 6   | 11/16" x 5-1/2" |  |
| 1 x 8    | 11/16" x 7-1/2" | 1 x 8          | 11/16" x 7-1/4" | 1 x 8   | 11/16" x 7-1/4" |  |
| 1 x 10   | 11/16" x 9-1/2" | 1 x 10         | 11/16" x 9-1/4" | 1 x 10  | 11/16" x 9-1/4" |  |

| Channel Bevel |                 | Shiplap        |                 | Nickel Gap |                 |  |
|---------------|-----------------|----------------|-----------------|------------|-----------------|--|
|               |                 |                |                 | 5 #        |                 |  |
| Nominal       | Actual          | Nominal Actual |                 | Nominal    | Actual          |  |
| 1 x 6         | 11/16" x 5-1/2" | 1 x 6          | 11/16" x 5-1/2" | 1 x 4      | 11/16" x 3-1/2" |  |
| 1 x 8         | 11/16" x 7-1/2" | 1 x 8          | 11/16" x 7-1/4" | 1 x 6      | 11/16" x 5-1/2" |  |
| 1 x 10        | 11/16" x 9-1/2" | 1 x 10         | 11/16" x 9-1/4" | 1 x 8      | 11/16" x 7-1/4" |  |
|               |                 |                |                 | 1 x 10     | 11/16 x 9-1/4"  |  |

#### Beadboard

| Sin          | gle           | Double   |                 |  |  |
|--------------|---------------|----------|-----------------|--|--|
| ~            | <del></del>   | <        |                 |  |  |
| Nominal Size | Actual        | Nominal  | Actual          |  |  |
| 5/8 x 4      | 5/8" x 3-1/2" | 5/8 x 8  | 5/8" x 6-11/16" |  |  |
| 5/8 x 6      | 5/8" x 5-1/4" | 5/8 x 12 | 5/8" x 10-1/4"  |  |  |

#### Trim

| 1X Trim Sizes |                | 5/4 Trim Sizes |              | 2X Trim Sizes |                  |  |
|---------------|----------------|----------------|--------------|---------------|------------------|--|
| Nominal       | Actual         | Nominal        | Actual       | Nominal       | Actual           |  |
| _             | _              | _              | -            | 2 x 2         | 1-1/2" x 1-1/2"  |  |
| 1 x 3         | 3/4" x 2-1/2"  | 5/4 x 3        | 1" x 2-1/2"  | _             | _                |  |
| 1 x 4         | 3/4" x 3-1/2"  | 5/4 x 4        | 1" x 3-1/2"  | 2 x 4         | 1-1/2" x 3-1/2"  |  |
| 1 x 5         | 3/4" x 4-1/2"  | 5/4 x 5        | 1" x 4-1/2"  | _             | _                |  |
| 1 x 6         | 3/4" x 5-1/2"  | 5/4 x 6        | 1" x 5-1/2"  | 2 x 6         | 1-1/2" x 5-1/2"  |  |
| 1 x 8         | 3/4" x 7-1/4"  | 5/4 x 8        | 1" x 7-1/4"  | 2 x 8         | 1-1/2" x 7-1/4"  |  |
| 1 x 10        | 3/4" × 9-1/4"  | 5/4 x 10       | 1" x 9-1/4"  | 2 x 10        | 1-1/2" x 9-1/4"  |  |
| 1 x 12        | 3/4" x 11-1/4" | 5/4 x 12       | 1" x 11-1/4" | 2 x 12        | 1-1/2" x 11-1/4" |  |

#### Accessories

| Skirt Board |               | Window Pocket<br>Rabbeted Trim |             | Siding Pocket<br>Rabbeted Trim |             | Window and Siding Pocket<br>Rabbeted Trim |             |  |
|-------------|---------------|--------------------------------|-------------|--------------------------------|-------------|---|-------------|--|
|             |               |                                |             |                                |             |   |             |  |
| Nominal     | Actual        | Nominal                        | Actual      | Nominal                        | Actual      | Nominal                                   | Actual      |  |
| 1 x 6       | 3/4" x 5-1/2" | 5/4 x 4                        | 1" x 3-1/2" | 5/4 x 3                        | 1" x 2-1/2" | 5/4 x 4                                   | 1" x 3-1/2" |  |
| 1 x 8       | 3/4" x 7-1/4" | 5/4 x 6                        | 1" x 5-1/2" | 5/4 x 4                        | 1" x 3-1/2" | 5/4 x 6                                   | 1" x 5-1/2" |  |
| 5/4 x 4     | 1" x 3-1/2"   | 5/4 x 8                        | 1" x 7-1/4" | 5/4 x 5                        | 1" x 4-1/2" | 5/4 x 8                                   | 1" x 7-1/4" |  |
| 5/4 x 6     | 1" x 5-1/2"   |                                |             | 5/4 x 6                        | 1" x 5-1/2" |   |             |  |
| 5/4 x 8     | 1" x 7-1/4"   |                                |             | 5/4 x 8                        | 1" x 7-1/4" |   |             |  |

**Note:** All TruExterior® Siding, Trim and Beadboard products are available in standard 16' land 12' lengths. TruExterior® Accessories are available in 16' length.



