

lingule

1620

115-11

1-11

JM TPO SYSTEMS SINGLE PLY ROOFING

DESIGNED FOR EFFICIENCY, DURABILITY AND LONGEVITY

JM TPO gives you a more cost-effective, yet highly reliable solution for your roofing projects. Our membranes are reinforced with a polyester fabric and manufactured with an ultraviolet-resistant thermoplastic polyolefin formulation. This combination provides you with extreme pliability, flexibility and weldability.

We launched our state-of-the-art TPO formulation in 2008, when many of our competitors already had products in the TPO market. While we felt pressure to meet ever-growing demands by getting into the market quickly, we determined it was more important to take the time to produce a higher-quality TPO product and do it right the first time.

JOHNS MANVILLE





Cost-effective

Durable



Flexible



Efficient

Lays flat



Has one of the widest weld windows of any TPO on the market for commercial roofing providing superior weldability



term weathering, is UV-resistant and resists heat-aging



In 2010, we launched the very first **TPO Challenge and still continue to host** challenges today. Well over 1,000 contractors, specifiers, consultants, welders and other roofing professionals have taken part in nationwide blind challenges to compare leading TPO membranes. Among experienced welders, 70% of these professionals selected JM TPO as their membrane of choice.

60 MIL WHITE TPO: REAL-WORLD TESTED, REAL-WORLD PR FN

YEARS

YEARS

YFAR



THE LEADING CHOICE FOR



selected JM TPO as their membrane of choice.

Those who regularly use TPO prefer JM TPO for:

- Wide weld window
- Seam strength
- Lay-flat properties
- Workability

In 2015, we started a program to with our trusted owners and contractors to perform roof cuts in various locations all across the United States. A third party tested the material against various ASTM requirements, and the results tell the great JM TPO story.

LONGMONT CO		ASTM
Thickness	59 mil	
Seam Strength	138 lbf	V .
Brittleness Point	Pass	-

REMONT CA		ASTM
Thickness	57 mil	
Seam Strength	115 lbf	_
Brittleness Point	Pass	

UNION CITY CA		ASTM
Thickness	57 mil	
Seam Strength	115 lbf	
Brittleness Point	Pass	-

	GRO
	Thick
	Seam
YEARS	Brittle

,	GROVE CITY OH		ASTM
	Thickness	57 mil	
	Seam Strength	116 lbf	
S	Brittleness Point	Pass	V

	FARMERS BRAN	CH TX	ASTM
	Thickness	56 mil	
	Seam Strength	119 lbf	
ARS	Brittleness Point	Pass	V

	HOUSTON TX		ASTM
h	Thickness	58 mil	
U	Seam Strength	111 lbf	V .
(EARS	Brittleness Point	Pass	-

For average annual climate details, visit https://www.jmroofing.news/jmtpo-roofcut

"The guys like how they can take the membrane in tight at the angle change from the roof to the wall. So it's a very forgiving sheet and a high-quality sheet that we are getting nice feedback from the field."

Jack Scalo President/CE0 Burns & Scalo Roofing

FLEXIBLE

Better for angle changes and working around penetrations

• Saves you time by achieving tighter fit at angle changes for more precise, detailed cuts

• Handles colder temperatures better

• Creates better laps by laying flat

WELDABLE

JN TPO

Consistent welding lets you work in optimum conditions and the harshest environments

• Strong, consistent and proven seam strength, lap to lap

• A wider weld window can prevent cold welds and false welds

CONTINUES TO BE THE TOP CHOICE FOR CONTRACTORS STILL TODAY The JM TPO Challenge keeps demonstrating that contractors still stand by JM TPO as the most flexible, smoothest and most weldable sheet.

SMOOTH


Smoother sheets make compliance for initial reflectivity easier

• Smooth membranes hold on to less dirt

 Maintains reflective advantage longer with smoother surfaces

The lighter-colored JM TPO reflects solar energy to lower the amount of heat absorbed into the building, greatly reducing air-conditioning energy loads and costs.

White JM TPO membrane is ENERGY STAR[®] rated and meets the stringent requirements for both LEED[®] (Leadership in Energy and Environmental Design) and California Title 24 when tested by the CRRC® (Cool Roof Rating Council).



"The weldability of the product, the quality of the sheet itself and all the accessories that are produced are the best in the industry. And that's from the guys in the field."

John Kalkreuth President Kalkreuth Roofing & Sheet Metal

MORE RELIABLE LESS WASTF



Between 2011 and 2013, JM's Scottsboro, Alabama roofing facility reduced its waste by 85 percent. In 2014, waste disposal at this plant was nearly half of what it was in 2013. Our Scottsboro plant continues to employ a stringent recycling program to minimize waste as it has since the launch of this program in 2011.











FIND THE RIGHT JM TPO ROLLS FOR YOUR NEXT PROJECT

"I was confident we would realize a cost savings on the first install using 12-foot rolls, and we did."

Jess Spain, Vice President, Great Lakes Roofing

MORE OPTIONS TO MAKE YOU MORE PROFIT

12' WIDE ROLLS

We recently opened a second production line for our newest offerings—12' wide and 6' wide sheets. Contractors working on commercial projects now have even more flexibility and choices with JM TPO. The 12' wide sheets give contractors the opportunity to save time with fewer field seams, less crane time and less waste. JM TPO 12' and 6' sheets are available in all thicknesses: 45, 60 and 80 mils.

SELF-ADHERED

FEWER

LAPS

JM TPO SA (Self-Adhered) membranes can be installed up to three times faster than a traditional fully adhered application through the "peel and stick" technology of our factory-applied adhesive. TPO SA works great for installations that require little to no VOCs and may also have fewer weather restrictions than many traditional adhesive systems. JM TPO SA starts strong and stays strong for the full life of the roof.

LESS CRANE

TIME



financial strength allows us to provide some of the strongest and most comprehensive guarantees in the roofing industry.

Our

We offer roofing warranties and 10-, 15-, 20-, 25- and 30-year No Dollar Limit (NDL) roofing guarantees, depending on the roof system selected. Even if you never have cause to fall back on the JM Peak Advantage® Guarantee, Johns Manville Roofing Systems provide you with additional value by offering technical assistance to the building owner throughout the life of the agreement.



COLOR	THICKNESS	ROLL SIZE	MATERIAL ID	PACKAGING	WEIGHT	COVERAGE
		12' x 100'	90026094		318 lb/roll	1,200 ft ²
		10' x 100'	90001399		265 lb/roll	1,000 ft ²
	45 MIL	8' x 100'	90001398	9 rolls/pallet	210 lb/roll	800 ft ²
		6' x 100'	90026093		160 lb/roll	600 ft ²
		5' x 100'	90001397		133 lb/roll	500 ft ²
		12' x 100'	90026096		414 lb/roll	1,200 ft ²
		10' x 100'	90001408	-	345 lb/roll	1,000 ft ²
	60 MIL	8' x 100'	90001407	8 rolls/pallet	275 lb/roll	800 ft ²
		6' x 100'	90026095		208 lb/roll	600 ft ²
		5' x 100'	90001406		173 lb/roll	500 ft ²
<u> </u>		10' x 100'	90013942		355 lb/roll	1,000 ft ²
WHITE	60 MIL MIN	5' x 100'	90021710	8 rolls/pallet	173 lb/roll	500 ft ²
	FB 115	10' x 100'	90001694	7 rolls/pallet	385 lb/roll	1,000 ft ²
	FB 150 (Hot Moppable)	10' x 75'	90024979	7 rolls/pallet	355 lb/roll	750 ft ²
		10' x 100'	90025037	· · · · · · · · · · · · · · · · · · ·	396 lb/roll	1,000 ft ²
	TPO SA 60 MIL	5' x 100'	90025229	8 rolls/pallet	198 lb/roll	500 ft ²
		12' x 75'	90026695		410 lb/roll	900 ft ²
		10' x 75'	90001417		345 lb/roll	750 ft ²
	80 MIL	8' x 75'	90001416	8 rolls/pallet	235 lb/roll	600 ft ²
		6' x 75'	90026694	-	205 lb/roll	450 ft ²
		5' x 75'	90001415		173 lb/roll	375 ft ²
	 FB 135	10' x 50'	90001558	8 rolls/pallet	230 lb/roll	500 ft ²
				e rene, paner	200 18,101	
	FB 175 (Hot Moppable)	10' x 50'	90025016	8 rolls/pallet	277 lb/roll	500 ft ²
	FB 175 (Hot Moppable)			8 rolls/pallet	277 lb/roll	
		10' x 100'*	90001393		265 lb/roll	1,000 ft ²
	FB 175 (Hot Moppable) 45 MIL	10' x 100'* 8' x 100'*	90001393 90001392	8 rolls/pallet 9 rolls/pallet	265 lb/roll 210 lb/roll	1,000 ft ² 800 ft ²
		10' x 100'* 8' x 100'* 5' x 100'*	90001393 90001392 90001391		265 lb/roll 210 lb/roll 133 lb/roll	1,000 ft ² 800 ft ² 500 ft ²
		10' x 100'* 8' x 100'* 5' x 100'* 12' x 100'**	90001393 90001392 90001391 90026691		265 lb/roll 210 lb/roll 133 lb/roll 414 lb/roll	1,000 ft ² 800 ft ² 500 ft ² 1,200 ft ²
λ	45 MIL	10' x 100'* 8' x 100'* 5' x 100'* 12' x 100'** 10' x 100'**	90001393 90001392 90001391 90026691 90001402	9 rolls/pallet	265 lb/roll 210 lb/roll 133 lb/roll 414 lb/roll 345 lb/roll	1,000 ft ² 800 ft ² 500 ft ² 1,200 ft ² 1,000 ft ²
REY		10' x 100'* 8' x 100'* 5' x 100'* 12' x 100'** 10' x 100'** 8' x 100'*	90001393 90001392 90001391 90026691 90001402 90001401		265 lb/roll 210 lb/roll 133 lb/roll 414 lb/roll 345 lb/roll 275 lb/roll	1,000 ft ² 800 ft ² 500 ft ² 1,200 ft ² 1,000 ft ² 800 ft ²
GREY	45 MIL	10' x 100'* 8' x 100'* 5' x 100'* 12' x 100'** 10' x 100'** 8' x 100'* 6' x 100'*	90001393 90001392 90001391 90026691 90001402 90001401 90026690	9 rolls/pallet	265 lb/roll 210 lb/roll 133 lb/roll 414 lb/roll 345 lb/roll 275 lb/roll 208 lb/roll	1,000 ft² 800 ft² 500 ft² 1,200 ft² 1,000 ft² 800 ft² 600 ft²
	45 MIL 60 MIL	10' x 100'* 8' x 100'* 5' x 100'* 12' x 100'** 10' x 100'** 8' x 100'* 6' x 100'* 5' x 100'**	90001393 90001392 90001391 90026691 90001402 90001401 90026690 90001400	9 rolls/pallet 8 rolls/pallet	265 lb/roll 210 lb/roll 133 lb/roll 414 lb/roll 345 lb/roll 275 lb/roll 208 lb/roll 173 lb/roll	1,000 ft² 800 ft² 500 ft² 1,200 ft² 1,000 ft² 800 ft² 600 ft² 500 ft²
	45 MIL	10' x 100'* 8' x 100'* 5' x 100'* 12' x 100'** 10' x 100'** 8' x 100'* 6' x 100'* 5' x 100'** 10' x 100'*	90001393 90001392 90001391 90026691 90001402 90001401 90026690 90001400 90001400	9 rolls/pallet	265 lb/roll 210 lb/roll 133 lb/roll 414 lb/roll 345 lb/roll 275 lb/roll 208 lb/roll 173 lb/roll 385 lb/roll	1,000 ft² 800 ft² 500 ft² 1,200 ft² 1,000 ft² 800 ft² 600 ft² 500 ft² 1,000 ft² 1,000 ft² 800 ft² 1,000 ft² 1,000 ft²
	45 MIL 60 MIL FB 115	10' x 100'* 8' x 100'* 5' x 100'* 12' x 100'** 10' x 100'** 8' x 100'* 6' x 100'* 5' x 100'** 10' x 100'* 10' x 100'* 10' x 100'* 10' x 100'* 10' x 75'*	90001393 90001392 90001391 90026691 90001402 90001401 90026690 90001400 90014106 90001411	9 rolls/pallet 8 rolls/pallet 7 rolls/pallet	265 lb/roll 210 lb/roll 133 lb/roll 414 lb/roll 345 lb/roll 275 lb/roll 208 lb/roll 173 lb/roll 385 lb/roll 345 lb/roll	1,000 ft² 800 ft² 500 ft² 1,200 ft² 1,000 ft² 800 ft² 600 ft² 500 ft² 1,000 ft² 750 ft²
	45 MIL 60 MIL	10' x 100'* 8' x 100'* 5' x 100'* 12' x 100'** 10' x 100'** 8' x 100'* 6' x 100'* 5' x 100'** 10' x 100'** 10' x 75'* 8' x 75'*	90001393 90001392 90001391 90026691 90001402 90001401 90026690 90001400 90014106 90001411 90001410	9 rolls/pallet 8 rolls/pallet	265 lb/roll 210 lb/roll 133 lb/roll 414 lb/roll 345 lb/roll 275 lb/roll 208 lb/roll 173 lb/roll 385 lb/roll 345 lb/roll 235 lb/roll	1,000 ft² 800 ft² 500 ft² 1,200 ft² 1,000 ft² 800 ft² 600 ft² 500 ft² 1,000 ft² 600 ft² 750 ft² 600 ft²
	45 MIL 60 MIL FB 115	10' x 100'* 8' x 100'* 5' x 100'* 12' x 100'** 10' x 100'** 8' x 100'* 6' x 100'* 5' x 100'** 10' x 100'* 10' x 75'* 8' x 75'* 5' x 75'*	90001393 90001392 90001391 90026691 90001402 90001401 90026690 90001400 90014106 90001411 90001410 90001409	9 rolls/pallet 8 rolls/pallet 7 rolls/pallet	265 lb/roll 210 lb/roll 133 lb/roll 414 lb/roll 345 lb/roll 275 lb/roll 208 lb/roll 173 lb/roll 345 lb/roll 345 lb/roll 235 lb/roll 173 lb/roll	1,000 ft² 800 ft² 500 ft² 1,200 ft² 1,000 ft² 800 ft² 600 ft² 500 ft² 1,000 ft² 800 ft² 600 ft² 750 ft² 600 ft² 375 ft²
	45 MIL 60 MIL FB 115 80 MIL	10' x 100'* 8' x 100'* 5' x 100'* 12' x 100'** 10' x 100'** 8' x 100'* 6' x 100'* 5' x 100'** 10' x 100'** 10' x 75'* 8' x 75'* 5' x 75'* 10' x 100'*	90001393 90001392 90001391 90026691 90001402 90001401 90026690 90001400 90014106 90001411 90001410	9 rolls/pallet 8 rolls/pallet 7 rolls/pallet	265 lb/roll 210 lb/roll 133 lb/roll 414 lb/roll 345 lb/roll 275 lb/roll 208 lb/roll 173 lb/roll 385 lb/roll 345 lb/roll 235 lb/roll	1,000 ft² 800 ft² 500 ft² 1,200 ft² 1,000 ft² 800 ft² 600 ft² 500 ft² 1,000 ft² 600 ft² 750 ft² 600 ft²
	45 MIL 60 MIL FB 115	10' x 100'* 8' x 100'* 5' x 100'* 12' x 100'** 10' x 100'** 8' x 100'* 6' x 100'* 5' x 100'** 10' x 100'* 10' x 75'* 8' x 75'* 5' x 75'* 10' x 100'* 8' x 75'*	90001393 90001392 90001391 90026691 90001402 90001401 90026690 90001400 90014106 90001411 90001410 90001409	9 rolls/pallet 8 rolls/pallet 7 rolls/pallet	265 lb/roll 210 lb/roll 133 lb/roll 414 lb/roll 345 lb/roll 275 lb/roll 208 lb/roll 173 lb/roll 345 lb/roll 345 lb/roll 235 lb/roll 173 lb/roll	1,000 ft² 800 ft² 500 ft² 1,200 ft² 1,000 ft² 800 ft² 600 ft² 500 ft² 1,000 ft² 800 ft² 600 ft² 750 ft² 600 ft² 375 ft²
	45 MIL 60 MIL FB 115 80 MIL	10' x 100'* 8' x 100'* 5' x 100'* 12' x 100'** 10' x 100'** 8' x 100'* 6' x 100'* 5' x 100'** 10' x 100'** 10' x 75'* 8' x 75'* 5' x 75'* 10' x 100'*	90001393 90001392 90001391 90026691 90001402 90001401 90026690 90001400 90001400 90001410 90001410 90001410 90001409	9 rolls/pallet 8 rolls/pallet 7 rolls/pallet 8 rolls/pallet	265 lb/roll 210 lb/roll 133 lb/roll 414 lb/roll 345 lb/roll 275 lb/roll 208 lb/roll 173 lb/roll 385 lb/roll 235 lb/roll 173 lb/roll 235 lb/roll 265 lb/roll	1,000 ft² 800 ft² 500 ft² 1,200 ft² 1,000 ft² 800 ft² 600 ft² 500 ft² 1,000 ft² 600 ft² 500 ft² 1,000 ft² 750 ft² 600 ft² 375 ft² 1,000 ft²
	45 MIL 60 MIL FB 115 80 MIL	10' x 100'* 8' x 100'* 5' x 100'* 12' x 100'** 10' x 100'** 8' x 100'* 6' x 100'* 5' x 100'** 10' x 100'* 10' x 75'* 8' x 75'* 5' x 75'* 10' x 100'* 8' x 75'*	90001393 90001392 90001391 90026691 90001402 90001401 90026690 90001400 90014106 90001410 90001410 90001409 90001396 90001395	9 rolls/pallet 8 rolls/pallet 7 rolls/pallet 8 rolls/pallet	265 lb/roll 210 lb/roll 133 lb/roll 414 lb/roll 345 lb/roll 275 lb/roll 208 lb/roll 385 lb/roll 345 lb/roll 235 lb/roll 235 lb/roll 235 lb/roll 273 lb/roll 210 lb/roll	1,000 ft² 800 ft² 500 ft² 1,200 ft² 1,000 ft² 800 ft² 600 ft² 500 ft² 1,000 ft² 750 ft² 600 ft² 375 ft² 1,000 ft² 800 ft²
	45 MIL 60 MIL FB 115 80 MIL	10' x 100'* 8' x 100'* 5' x 100'* 12' x 100'** 10' x 100'** 8' x 100'* 6' x 100'* 6' x 100'* 10' x 100'* 10' x 75'* 8' x 75'* 5' x 75'* 10' x 100'* 8' x 75'* 5' x 75'* 5' x 100'* 10' x 100'* 5' x 100'*	90001393 90001392 90001391 90026691 90001402 90001401 90026690 90001400 90014106 90001410 90001410 90001410 90001409 90001396 90001395 90001394	9 rolls/pallet 8 rolls/pallet 7 rolls/pallet 8 rolls/pallet	265 lb/roll 210 lb/roll 133 lb/roll 414 lb/roll 345 lb/roll 275 lb/roll 208 lb/roll 173 lb/roll 385 lb/roll 345 lb/roll 235 lb/roll 235 lb/roll 265 lb/roll 210 lb/roll 133 lb/roll	1,000 ft² 800 ft² 500 ft² 1,200 ft² 1,000 ft² 800 ft² 600 ft² 500 ft² 1,000 ft² 600 ft² 500 ft² 1,000 ft² 375 ft² 1,000 ft² 800 ft² 500 ft² 1,000 ft² 375 ft² 1,000 ft² 800 ft² 500 ft²
68	45 MIL 60 MIL FB 115 80 MIL	10' x 100'* 8' x 100'* 5' x 100'* 12' x 100'** 10' x 100'** 8' x 100'* 6' x 100'* 6' x 100'* 10' x 100'** 10' x 100'* 5' x 75'* 8' x 75'* 10' x 100'* 8' x 75'* 5' x 75'* 10' x 100'* 8' x 100'* 5' x 100'* 12' x 100'* 12' x 100'**	90001393 90001392 90001391 90026691 90001402 90001401 90026690 90001400 90014106 90001410 90001410 90001409 90001396 90001395 90001394 90026693	9 rolls/pallet 8 rolls/pallet 7 rolls/pallet 8 rolls/pallet	265 lb/roll 210 lb/roll 133 lb/roll 414 lb/roll 345 lb/roll 275 lb/roll 208 lb/roll 173 lb/roll 385 lb/roll 235 lb/roll 235 lb/roll 265 lb/roll 210 lb/roll 133 lb/roll 414 lb/roll	1,000 ft² 800 ft² 500 ft² 1,200 ft² 1,000 ft² 800 ft² 600 ft² 500 ft² 1,000 ft² 600 ft² 500 ft² 1,000 ft² 750 ft² 600 ft² 375 ft² 1,000 ft² 800 ft² 500 ft² 1,000 ft² 800 ft² 1,000 ft² 1,000 ft² 1,000 ft² 1,000 ft² 1,000 ft² 1,000 ft² 1,200 ft²
	45 MIL 60 MIL FB 115 80 MIL 45 MIL	10' x 100'* 8' x 100'* 5' x 100'* 12' x 100'** 10' x 100'** 8' x 100'* 6' x 100'* 5' x 100'** 10' x 100'* 10' x 75'* 8' x 75'* 5' x 100'* 10' x 100'* 8' x 75'* 5' x 100'* 10' x 100'* 8' x 100'* 10' x 100'* 10' x 100'* 10' x 100'*	90001393 90001392 90001391 90026691 90001402 90001401 90026690 90001400 90014106 90001410 90001410 90001410 90001409 90001395 90001394 90026693 90001405	9 rolls/pallet 8 rolls/pallet 7 rolls/pallet 8 rolls/pallet 9 rolls/pallet	265 lb/roll 210 lb/roll 133 lb/roll 414 lb/roll 345 lb/roll 275 lb/roll 208 lb/roll 385 lb/roll 385 lb/roll 345 lb/roll 235 lb/roll 265 lb/roll 210 lb/roll 133 lb/roll 414 lb/roll 345 lb/roll	1,000 ft² 800 ft² 500 ft² 1,200 ft² 1,000 ft² 800 ft² 600 ft² 500 ft² 1,000 ft² 600 ft² 500 ft² 1,000 ft² 750 ft² 600 ft² 375 ft² 1,000 ft² 800 ft² 500 ft² 1,000 ft² 800 ft² 1,200 ft² 1,000 ft²
68	45 MIL 60 MIL FB 115 80 MIL 45 MIL	10' x 100'* 8' x 100'* 5' x 100'* 12' x 100'** 10' x 100'** 8' x 100'* 6' x 100'* 6' x 100'* 10' x 75'* 8' x 75'* 5' x 100'* 10' x 100'* 10' x 100'* 10' x 100'* 10' x 100'* 8' x 100'* 5' x 100'* 10' x 100'* 8' x 100'* 10' x 100'** 10' x 100'** 10' x 100'**	90001393 90001392 90001391 90026691 90001402 90001401 90026690 90001400 90014106 90001410 90001410 90001410 90001409 90001396 90001395 90001395 90001394 90026693 90001405 90001404	9 rolls/pallet 8 rolls/pallet 7 rolls/pallet 8 rolls/pallet 9 rolls/pallet	265 lb/roll 210 lb/roll 133 lb/roll 414 lb/roll 345 lb/roll 275 lb/roll 208 lb/roll 173 lb/roll 385 lb/roll 345 lb/roll 235 lb/roll 265 lb/roll 210 lb/roll 133 lb/roll 414 lb/roll 345 lb/roll	1,000 ft² 800 ft² 500 ft² 1,200 ft² 1,000 ft² 800 ft² 600 ft² 500 ft² 1,000 ft² 600 ft² 500 ft² 1,000 ft² 750 ft² 600 ft² 375 ft² 1,000 ft² 800 ft² 500 ft² 1,000 ft² 800 ft² 1,200 ft² 1,000 ft² 800 ft² 800 ft²
68	45 MIL 60 MIL FB 115 80 MIL 45 MIL	10' x 100'* 8' x 100'* 5' x 100'* 12' x 100'** 10' x 100'** 8' x 100'* 6' x 100'* 6' x 100'* 10' x 100'** 10' x 100'* 5' x 100'** 10' x 75'* 8' x 75'* 5' x 75'* 10' x 100'* 8' x 100'* 5' x 100'* 10' x 100'* 8' x 100'* 10' x 100'** 10' x 100'*	90001393 90001392 90001391 90026691 90001402 90001401 90026690 90001400 90014106 90001410 90001410 90001410 90001409 90001395 90001395 90001394 90026693 90001405 90001404 90026692	9 rolls/pallet 8 rolls/pallet 7 rolls/pallet 8 rolls/pallet 9 rolls/pallet	265 lb/roll 210 lb/roll 133 lb/roll 414 lb/roll 345 lb/roll 275 lb/roll 208 lb/roll 385 lb/roll 385 lb/roll 235 lb/roll 235 lb/roll 265 lb/roll 210 lb/roll 133 lb/roll 414 lb/roll 345 lb/roll 275 lb/roll 275 lb/roll	1,000 ft² 800 ft² 500 ft² 1,200 ft² 1,000 ft² 800 ft² 600 ft² 500 ft² 1,000 ft² 600 ft² 500 ft² 1,000 ft² 750 ft² 600 ft² 375 ft² 1,000 ft² 800 ft² 500 ft² 1,000 ft² 800 ft² 1,200 ft² 1,200 ft² 1,000 ft² 800 ft² 600 ft² 600 ft²
68	45 MIL 60 MIL FB 115 80 MIL 45 MIL 60 MIL	10' x 100'* 8' x 100'* 5' x 100'* 12' x 100'** 10' x 100'** 8' x 100'* 6' x 100'* 6' x 100'* 10' x 100'* 10' x 75'* 8' x 75'* 5' x 100'* 10' x 100'* 10' x 100'* 8' x 100'* 5' x 100'* 10' x 100'* 8' x 100'* 10' x 100'* 10' x 100'* 6' x 100'* 5' x 100'* 5' x 100'* 5' x 100'* 6' x 100'* 5' x 100'*	90001393 90001392 90001391 90026691 90001402 90001401 90026690 90001400 90014106 90001410 90001410 90001410 90001409 90001395 90001395 90001394 90001394 90001405 90001404 900026692 90001403	9 rolls/pallet 8 rolls/pallet 7 rolls/pallet 8 rolls/pallet 9 rolls/pallet 8 rolls/pallet	265 lb/roll 210 lb/roll 133 lb/roll 414 lb/roll 345 lb/roll 275 lb/roll 208 lb/roll 385 lb/roll 385 lb/roll 345 lb/roll 235 lb/roll 265 lb/roll 210 lb/roll 133 lb/roll 345 lb/roll 210 lb/roll 235 lb/roll 210 lb/roll 133 lb/roll 345 lb/roll 345 lb/roll 345 lb/roll	1,000 ft² 800 ft² 500 ft² 1,200 ft² 1,000 ft² 800 ft² 600 ft² 500 ft² 1,000 ft² 800 ft² 600 ft² 500 ft² 1,000 ft² 750 ft² 600 ft² 375 ft² 1,000 ft² 800 ft² 500 ft² 1,200 ft² 1,000 ft² 800 ft² 500 ft² 1,000 ft² 800 ft² 500 ft² 500 ft² 500 ft² 500 ft² 500 ft²
68	45 MIL 60 MIL FB 115 80 MIL 45 MIL 60 MIL FB 115	10' x 100'* 8' x 100'* 5' x 100'* 12' x 100'** 10' x 100'** 8' x 100'* 6' x 100'* 6' x 100'* 10' x 700'* 10' x 75'* 8' x 75'* 5' x 100'* 10' x 100'* 10' x 100'* 8' x 100'* 5' x 100'* 10' x 100'* 8' x 100'* 5' x 100'* 10' x 100'** 8' x 100'* 5' x 100'** 10' x 100'** 8' x 100'* 5' x 100'* 10' x 100'**	90001393 90001392 90001391 90026691 90001402 90001401 90026690 90001400 90014106 90001410 90001410 90001410 90001409 90001395 90001395 90001395 90001394 90026693 90001405 90001404 90026692 90001403 900013979	9 rolls/pallet 8 rolls/pallet 7 rolls/pallet 8 rolls/pallet 9 rolls/pallet 8 rolls/pallet	265 lb/roll 210 lb/roll 133 lb/roll 414 lb/roll 345 lb/roll 275 lb/roll 208 lb/roll 173 lb/roll 385 lb/roll 235 lb/roll 235 lb/roll 235 lb/roll 265 lb/roll 210 lb/roll 133 lb/roll 414 lb/roll 345 lb/roll 275 lb/roll 275 lb/roll 275 lb/roll 385 lb/roll	1,000 ft² 800 ft² 500 ft² 1,200 ft² 1,000 ft² 800 ft² 600 ft² 500 ft² 1,000 ft² 600 ft² 500 ft² 1,000 ft² 750 ft² 600 ft² 375 ft² 1,000 ft² 800 ft² 500 ft² 1,000 ft² 800 ft² 1,000 ft² 800 ft² 500 ft² 1,000 ft² 800 ft² 1,000 ft² 1,000 ft² 1,000 ft² 1,000 ft² 1,000 ft²

PEAK Johns Manville ADVANTAGE

Johns Manville offers one of the most comprehensive guarantees in the roofing industry. That's the advantage you can expect from a longtime, dependable leader with the financial backing of Berkshire Hathaway.



717 17th St. Denver, CO 80202 (800) 922-5922 www.jm.com/roofing

f V

facebook.com/JohnsManville

@JMRoofingSystem



JohnsManvillevideos



1.1

1 al